





winstonfoodservice.com

2017 EQUIPMENT PRICE LIST

DOMESTIC SALES REPS









Johnson Commercial Agents Mendota Heights, Minnesota 1.651.686.8499

Paragon Marketing Lenexa, Kansas 1.913.469.6868

Chrane Foodservice Solutions Houston, Texas 1.866.796.3399

> **PB&J Commercial Agents** Bartlett, Illinois 1.630.991.7236

PMR Inc Little Rock, Arkansas 1.501.562.3800

Two Market Group Westerville, Ohio 1.877.621.3800

The Hansen Group (10) Brentwood, Tennessee 1.615.370.1311

Pace & Associates Fairburn, Georgia 1.770.969.0488

GMV Sales Associates, LLC Westboro, Massachusetts 1.508.889.4747

Tri-State Marketing Ossining, New York 1.914.941.1717

High Sabatino Associates Jessup, Maryland 1.301.470.7051

Kitchen Resource Group Mooresville, NC 1.704.663.0036

FESMA (18) Largo, Florida 1.727.559.0799

Desert Peak Marketing Phoenix, Arizona 1.303.790.2424

Food Equipment Rep Services, Inc. (13) Rochester, New York 1.585.247.8130

One Source 14 Media, Pennsylvania 1.601.565.5200

Representatives subject to change without notice.



	Page
Domestic Sales Reps and Table of Contents	2-3
Obtaining Service and How to Order	4
Important Information: Quick Ship and Warranty	5
Fast Finder	6
Collectramatic® High Efficiency Pressure Fryers	7
Collectramatic Open Fryers	8
Collectramatic Fryer Options, Accessories & Supplies	9
Winston Shortening Filters	10-11
Winston Shortening Filter Options, Accessories & Supplies	11
Breading/Sifting Table	12
Breading/Sifting Table Options, Accessories & Supplies	12
CVap® Holding Cabinets	13-19
CVap Holding Cabinet Options, Accessories & Supplies	20
CVap Hold & Serve Drawers	21-25
CVap Hold & Serve Drawer Options, Accessories & Supplies	26
CVap Hold & Serve Universal Holding Bins (UHB)	27
CVap Hold & Serve UHB Options, Accessories & Supplies	27
CVap Cook & Hold Ovens	28-31
CVap Cook & Hold Oven Options, Accessories & Supplies	32
CVap Thermalizer Ovens (CAT Models)	33-36
CVap CAT Thermalizer Oven Options, Accessories & Supplies	37
CVap Thermalizer Ovens CA8 (Low Power) Models	38
CVap CA8 Thermalizer Oven Options, Accessories & Supplies	39
About the Company	40
ZAP Warranty	41
Important Information: Plug Configurations, Electrical and Sanitation Standards	42
Controls	43

Visit our website at **winstonfoodservice.com** to learn more about Winston Foodservice and how our product innovations can benefit your operation. You can also order parts, locate servicers, access technical information, and much more!



4 | OBTAINING SERVICE

We take pride in building the most advanced cooking and holding equipment in the foodservice industry. We are just as proud of our customer service. Winston has several ways for you to obtain information, get questions answered, or arrange service.

Toll-Free Customer Service – 1.800.234.5286

Prefer to speak with someone live? Our customer service line is staffed by knowledgeable, trained professionals who are ready to answer any question. Call 1.800.234.5286 to obtain information on an order, ask questions about our equipment, or discuss an issue with one of our expert technicians. Our customer service center operates weekdays 8:00 am to 5:00 pm Eastern Standard Time.

Our customer service technicians are on call until 8:00 pm EST. International inquiries can call +1.502.495.5400.

Nationwide Service Network

Winston has one of the best service networks in the nation. Whether you need to maintain, repair, or install equipment, world-class service is just a phone call away. Our service partners utilize service and distribution centers throughout the continental United States, and in more than 100 countries globally, with over 400 technicians, to quickly get your equipment back in operation.

If you need service, please have the following information on hand when you contact us:

- 1. Model and Serial # (located on white equipment ID label)
- 2. Your name
- 3. Company name
- 4. Company address
- 5. Company phone
- 6. Type of problem

If your equipment is out of warranty you can call the servicer of your choice. You can also call Winston at 1.800.234.5286 or visit **winstonfoodservice.com** to find an authorized servicer near you.

HOW TO ORDER

When you place an order, we'll need to know the following information:

- Model number
- **Specify door hinging** Most cabinets offer the option of left or right hinge.
- **Specify caster type** Wheeled equipment offers different diameter casters. Refer to individual model pages for available options and pricing.
- Specify electrical Voltage and phase.
- Other options Most models are available with several options, such as windows, passthru doors, different electrical, etc. The Cook & Hold Ovens and Thermalizers offer options on controls. Refer to individual model pages for availability and pricing.

Quick Ship Program

A Quick Ship Logo in bold-faced type next to a model number indicates that the model is in stock and ready for immediate shipment. There is a domestic Quick Ship Logo (**S**) corresponding to U.S. orders.

Our goal is to ship Quick Ship orders within 48 hours of receipt of an approved order. If we are unable to perform to that standard, we will notify you immediately (via our sales representative) and give you the option of cancelling the order. There is a possibility that unexpected demands may occasionally cause us to be out of stock on certain items. Quick Ship availability will be confirmed at the time of the order.

Domestic Quick Ship Models:

MODEL	MODEL	MODEL
CAT522-HR-5-208/60	HA4522-HR-5-120/60	HBB5N1-120/60
p.34	p.19	p.24
F662A9-120/60	CAC507-HR-3-208/60	
p.10	p.28	

Standard Lead Times

STANDARD PRODUCTS – items on this price list, not part of the Quick Ship Program. Standard lead time - three weeks (may vary).

Custom Products – items not on this price list. Standard lead time (if approved) six to eight weeks (or longer for a new design). A 10% minimum upcharge will be applied in addition to calculated price.

Custom products require that a Custom Model Request Form be completed and approved before the sale of the model.

One Year Limited Warranty

All equipment and replacement parts come with a one-year limited warranty from the date of delivery to the end user or purchaser, or 18 months from the date of manufacture, whichever comes first. The warranty may be voided if there is a failure to clean the equipment. Proof of purchase and installation are required. See ZAP Warranty Agreement on page 41.

Extended Warranties

Extended, limited warranties are available and must be purchased while the equipment is still under warranty. Up to two additional years beyond the one year standard warranty period may be purchased for a maximum of three years. Extended warranties are covered under the terms of the Zap Warranty Agreement (see page 41). All extended warranties purchased after the original purchase of the equipment will incur an additional 25% markup.

IMPORTANT - Protect your warranty!

Proper installation is the responsibility of the purchaser, and is not covered by the warranty. Products must not be installed in locations exposing them to excessive heat sources, ambient temperatures above 100°F (38°C), or contaminates detrimental to the equipment components (such as caustic solutions, high moisture, water or grease-laden vapors near electronic components, etc.).



6 | FAST FINDER

Model	Page	Base Price
C::LLECTRAMATIC	Fr	yers & Filters
LP46	7	\$12,969.00
LP56	7	14,247.00
OF49C	8	10,736.00
OF59C	8	11,963.00
F552A8	10	3,329.00
F662A9	10	3,616.00
F662T	11	3,669.00
BA1TA2	12	5,520.00
C Vap °	Hold	ing Cabinets
HA4003	13	\$7,196.00
HA4503	13	7,668.00
HA4005	14	7,670.00
HA4507	14	7,518.00
HA4509	15	7,958.00
HC4009	15	7,977.00
HA4511	16	9,259.00
HMA018	16	8,855.00
HA4519	17	9,400.00
HL4022-AL	17	7,188.00
HA4022	18	8,488.00
HL4522-AL	18	7,816.00
HL4522-SS	19	9,985.00
HA4522	19	9,985.00
C Vap ° +	lold & Se	erve Drawers
HBB0D1	21	\$3,972.00
HBB0D2	21	6,084.00
HBB5D1	22	4,370.00
HBB5D2	22	5,544.00
HBB0N1	23	3,972.00
HBB0N2	23	5,688.00
HBB5N1	24	4,370.00
HBB5N2	24	6,084.00
HBK5D1	25	5,708.00
HBL5W1	25	5,708.00

Model	Page	Base Price				
C Vap	Universal	niversal Holding Bins				
HA8503-04	27	\$7,850.00				
HA8503-08	27	8,282.00				
C Vap	Cook	& Hold Ovens				
CAC503	28	\$9,048.00				
CAC507	28	10,300.00				
CAC509	29	11,279.00				
CAC522	29	18,203.00				
CAC507/CAC507 Stack	30	18,983.00				
CAC507/CAC509 Stack	30	19,166.00				
CAC507/HA4507 Stack	31	16,116.00				
C Vap °		Thermalizers				
CAT507	33	\$10,455.00				
CAT509	33	11,536.00				
CAT522	34	17,781.00				
CAT529	34	20,848.00				
CAT507/CAT507 Stack	35	19,238.00				
CAT507/CAT509 Stack	35	20,489.00				
CAT507/HA4507 Stack	36	17,083.00				
CAT509/HA4507 Stack	36	18,437.00				
CA8509	38	12,703.00				
CA8522	38	18,015.00				





High Efficiency Pressure Fryer LP46 high efficiency pressure, 8-channel programmable control

MODEL	DESCRIPTION	LIST PRICE
LP46	Collectramatic High Efficiency Pressure Fryer, 12 lb. (5.4 kg) capacity,	\$12,969.00
	8 channel connect & fry control	

See page 9 for Fryer accessories and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube	
		US/CANADA								
12 lbs. (5.4 kg)	3.	208	60	3	29.2	10500	N/A*			
product H2= 61.0" (1549) W= 20.2" (513)	240	60	3	25.2	10500	N/A*	165 (75)	20.0 (0.57)		
64 lbs. (28.8 kg)		240	60	1	43.7	10500	N/A*			
cooking oil	INTERNATIONAL									
		400	50	3	N/A	10500	N/A*	204 (93)	call factory	

H=Height w/lid closed • H2=Height w/lid open Includes: 1 clamshell basket, 1 drain hook, 1 spatula, 2 collector gaskets, 2 lid gaskets, 1 Teflon® brush, 1 long collector, 1 heat plate, 1 pair gloves, 1 plugging tool, 1 displacer tool

*Cord and plug not included

See accessories on page 9

High Efficiency Pressure Fryer LP56 high efficiency pressure, 8-channel programmable control

MODEL	DESCRIPTION	LIST PRICE
LP56	Collectramatic High Efficiency Pressure Fryer, 18 lb. (8.2 kg) capacity,	\$14,247.00
	8 channel connect & fry control	

See page 9 for Fryer accessories and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube	
	US/CANADA									
18 lbs. (8.2 kg)	18 lbs. (8.2 kg) product H= 50.0" (1270) H2= 61.0" (1549) W= 20.2" (513)	208	60	3	29.2	10500	N/A*			
product		240	60	3	25.2	10500	N/A*	175 (79)	20.0 (0.57)	
75 lbs. (33.8 kg)	D= 30.0" (762)	240	60	1	43.7	10500	N/A*			
cooking oil	cooking oil					INTER	NATIONAL			
		400	50	3	N/A	10500	N/A*	214 (97)	call factory	

H=Height w/lid closed • H2=Height w/lid open Includes: 1 clamshell basket, 1 drain hook, 1 spatula, 2 collector gaskets, 2 lid gaskets, 1 Teflon brush, 1 long collector, 1 heat plate, 1 pair gloves, 1 plugging tool, 1 displacer tool

*Cord and plug not included

See accessories page 9









Open Fryer OF49C open fryer, 8-channel programmable control

MODEL	DESCRIPTION	LIST PRICE
OF49C	Collectramatic open fryer, 12 lb. (5.4 kg) capacity, 8 channel connect & fry control	\$10,736 .00
	See page 9 for Fryer options, accessories & supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube		
		US/CANADA									
12 lbs. (5.4 kg)	product W= 20.2" (513) D= 28.6" (726)	208	60	3	29.2	10500	N/A*				
product		240	60	3	25.2	10500	N/A*	179 (79)	20.0 (0.57)		
61 lbs. (27.5 kg)		240	60	1	43.7	10500	N/A*				
cooking oil		INTERNATIONAL									
		400	50	3	15.5	10500	N/A*	160 (72)	call factory		

Includes: 1 clamshell basket, 1 drain hook, 1 spatula, 2 collector gaskets, 1 Teflon brush, 1 long collector, 1 heat plate,
1 pair gloves, 1 plugging tool, 1 displacer tool

*Cord and plug not included

See accessories on page 9



Open Fryer OF59C open fryer, 8 channel programmable control

MODEL	DESCRIPTION	LIST PRICE
OF59C	Collectramatic open fryer, 18 lb (8.2 kg) capacity, 8 channel connect & fry control	\$11,963.00
	See page 9 for Fryer options, accessories & supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
			US/CANADA									
18 lbs. (8.2 kg)	H= 45.5" (1156) W= 20.2" (513) D= 28.6" (736)	208	60	3	29.2	10500	N/A*					
product		product W= 20.2" (513) D= 28.6" (726)	240	60	3	25.2	10500	N/A*	184 (83)	20.0 (0.57)		
71 lbs. (32.4 kg)	D= 20.0 (720)	240	60	1	43.7	10500	N/A*					
cooking oil		INTERNATIONAL										
		400	50	3	N/A	10500	N/A*	170 (77)	call factory			

Includes: 1 clamshell basket, 1 drain hook, 1 spatula, 2 collector gaskets, 1 Teflon brush, 1 long collector, 1 heat plate,
1 pair gloves, 1 plugging tool, 1 displacer tool

*Cord and plug not included

See accessories on page 9







Fryer Options, Accessories & Supplies

Options	Description	List Price
4-Hd. Quarter Rack Basket	Quarter rack basket, 4-head, wire (replaces std. Clamshell basket) LP46	\$72.00
6-Hd. Quarter Rack Basket	Quarter rack basket, 6-head, wire (replaces std. Clamshell basket) LP56	169.00
Accessories & Supplies	Description	List Price
PS1874	Accessory kit (includes plugging tool, displacer, basket drain hook, gloves, spatula)	843.00
PS1154-1	Basket drain hook	239.00
PS1160	Basket, fillet, 3/4" (19mm) spacing	544.00
PS1875	Basket lift assist	269.00
PS1300	Basket, nugget, w/lid	400.00
PS1453	Basket, shoestring french fry	361.00
PS1159	Clamshell basket (4 head)	486.00
PS1163	Clamshell basket (6 head)	477.00
PS1209-1	Displacer tool (for emptying fryer collector)	183.00
PS1211	Drain valve extension	85.00
PS1166	Dump station, fits between fryers	724.00
PS1891-5	Gasket, fryer lid, LP46/LP56 (5 pack)	97.00
PS1891-15	Gasket, fryer lid, LP46/LP56 (15 pack)	267.00
PS1892-5	Gasket, fryer collector, LP46/LP56, OF49/OF59 (5 pack)	64.00
PS1892-15	Gasket, fryer collector, LP46/LP56, OF49/OF59 (15 pack)	177.00
PS2838	Quarter rack basket, 4-head, wire	382.00
PS2839	Quarter rack basket, 6-head, wire	437.00
PS2837-1	Quarter rack basket shelf	33.00
PS2837-10	Quarter rack basket shelves quantity 10	328.00
PS2837-25	Quarter rack basket shelves quantity 25	819.00
PS2837-75	Quarter rack basket shelves quantity 50	2,458.00
PS1081	Heat plate removal hook, 24" (610mm)	107.00
PS1325-3	Heater protectors (for fryers), 3-pack	102.00
PS1290	Open basket	292.00
PS1001	Pair of gloves	43.00
PS1179-1	Plugging tool (for stirring oil in fryer)	245.00
PS1979	Spatula (to clean breading from sides of cook pot)	14.00
PS1120-1	Teflon brush	81.00
PS1682	Tray cart / dump station	2,281.00
PS1180	Utensil rack	141.00
Extended Warranty	Description	Net Price
Extended Warranty*	Full parts and labor warranty coverage for an additional year (fryer)	\$382.00

^{*}See page 5 for extended warranty purchase information.







Shortening Filter F552A8

82.5 lb. (37.1 kg.) tank capacity

MODEL	DESCRIPTION	LIST PRICE
F552A8	Winston Shortening Filter, 82.5 lb. (37.1 kg.) tank, cover	\$3,329.00

See pg. 11 for Shortening Filter accessories and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US/0	CANADA		
82.5 lbs. (37.1 kg)	H= 15.6" (396) W= 15.3" (389) D= 32.3" (820)	120	60	1	5.0	600	5-15P	95 (43)	7.5 (0.21)
						INTER	NATIONAL		
		230	50	1	2.5	575	N/A	120 (54)	call factory

Includes: 10 filter paper sheets (14" x 22.5"), 1 tank cover



Shortening Filter F662A9

90 lb. (41 kg) tank capacity

MODEL	DESCRIPTION	LIST PRICE
F662A9	Winston Shortening Filter, 90 lb. (41 kg.) tank, cover	\$3,616.00



See pg. 11 for Shortening Filter accessories and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US/0	CANADA		
90.0 lbs. (41.0 kg)	H= 18.3" (466) W= 18.2" (461) D= 30.2" (767)	120	60	1	5.0	600	5-15P	110 (50)	9.8 (0.28)
						INTER	NATIONAL		
		230	50	1	2.5	575	N/A	135 (61)	call factory

Includes: 10 filter paper sheets (16.75" x 22.5"), 1 tank cover



Shortening Filter F662T 90 lb. (41 kg) tank capacity

MODEL	DESCRIPTION	LIST PRICE
F662T	Winston Transport Shortening Filter, 90 lb. (41 kg.) tank, cover	\$3,669.00



See pg. 11 for Shortening Filter accessories and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US/0	CANADA		
90.0 lbs. (41.0 kg)	H= 33.87" (860) W= 23.125" (587) D= 32.125" (816)	120	60	1	5.0	600	5-15P	110 (50)	9.8 (0.28)
						INTER	NATIONAL		
		230	50	1	2.5	575	N/A	135 (61)	call factory

Includes: 10 filter paper sheets (16.5" x 22.5"), 1 tank cover, 1 pre-filter

Shortening Filter Accessories & Supplies

Accessories & Supplies	Description	List Price
PS1488	Filter paper for F662A9 (100 pack)	\$151.00
PS1489	Filter paper for F552A8 (100 pack)	184.00
PS1546	Prefilter (for F662A9 and F662T) reduces filter paper usage	229.00
PS1547	Prefilter (for F552A8) reduces filter paper usage	397.00
Extended Warranty	Description	Net Price
Extended Warranty*	Full parts and labor warranty coverage for an additional year (filter)	\$99.00

*See page 5 for extended warranty purchase information.









Breader/Sifter Table BA1TA2 All Models

MODEL	DESCRIPTION	LIST PRICE
BA1TA2	Winston Breader/Sifter Table	\$5,520.00

See below for Breader/Sifter Table options, accessories and supplies.

capacity	size in (mm)	ship wt. lb (kg)	ship cube		
		US / CAN	NADA		
25.0 lbs. (11.0 kg)	H1= 36.7" (932) H2= 60.8" (1544) W1= 26.5" (673)	131 (59)	23.7 (0.67)		
	W2= 58.3" (1481) D= 31.3" (795)	INTERNATIONAL			
		156 (71)	call factory		

H1=height w/lid down • H2=height w/lid up • W1=width w/shelves down • W2=width w/shelves up Includes: 25 lb lug with hole and cover, 16" stainless steel shelf with hole, dip bucket, dip basket

Breader/Sifter Options, Accessories & Supplies

Options	Description	List Price
Casters	Add four casters (2 locking) to legs (becomes BA1TA4)	\$128.00
Accessories & Supplies	Description	List Price
PS1115	Breading lug, plastic, no hole	\$255.00
PS1186	Breading lug, hole cover for top lug, metal	100.00
PS1292	Basket, SS (for dipping product before breading)	400.00
PS1317	Breading lug, plastic, top with hole	163.00
PS1581	Bucket, plastic (for PS1292 dip basket)	109.00
Extended Warranty	Description	Net Price
Extended Warranty*	Full parts and labor warranty coverage for an additional year (breader/sifter)	\$97.00

^{*}See page 5 for extended warranty purchase information.

Holding Cabinet HA4003

half size/under counter, electronic differential control, fanless

MODEL	DESCRIPTION	LIST PRICE
HA4003	CVap Holding Cabinet, A-Series differential control, 3 cu. ft (.09 cu. M), 5 adjustable rack supports, 3" (25mm) casters	\$7,196.00
	See page 20 for Holding Cabinet options, accessories, and supplies.	



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
		US / CANADA										
4 STP H3: 8 HSTP H5:	H1= 33.8" (859)* H3= 36.0" (916) H5= 38.1" (968) W= 19.9" (505)	120	60	1	11.7	1410	US 5-20P CAN 5-30P	135 (61)	15.6 (0.44)			
	` '	INTERNATIONAL										
	D= 27.1" (688) DP= 29.0" (737)	230	50/60	1	8.6	1983	N/A	160 (72)	call factory			

HSP=Half sheet pan • STP=Steam table pan (12" x 20" x 2.5") • HSTP=Half steam table pan • GP=Gastronorm pan
H1=Height w/1" wheels *(requires purchase of PS2135 1.5" wheel and braket kit (installed in field)) • H3=Height w/3" casters • H5=Height w/5" casters

DP=Depth w/pass-thru

NEMA: See page 42 for explanation of the input average UL Testing Method - Electrical, which allows this equipment to operate on the indicated circuit

Holding Cabinet HA4503 half size/under counter, electronic differential control, fan



See page 20 for Holding Cabinet options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
		US / CANADA										
4 STP 8 HSTP	STP H3= 36.1" (917) HSTP H5= 38.1" (968)	120 120	60 60	1	18.6 16.3	2232 1957	US 5-20P CAN 5-20P	160 (73)	15.6 (0.44)			
	` '	INTERNATIONAL										
	D= 27.1" (688) DP= 29.0" (737)	230	50/60	1	9.8	2260	N/A	160 (73)	call factory			

 $HSP = Half \ sheet \ pan \ (18"x \ 13" \ x \ 1.25") \bullet STP = Steam \ table \ pan \ (12" \ x \ 20" \ x \ 2.5") \bullet HSTP = Half \ steam \ table \ pan \bullet GP = Gastronorm \ pan \\ H1 = Height \ w/1" \ wheels * (requires \ purchase \ of \ PS2135 \ 1.5" \ wheel \ and \ braket \ kit (installed in \ field)) \bullet H3 = Height \ w/3" \ casters \bullet H5 = Height \ w/5" \ casters \\ DP = Depth \ w/pass-thru$

NEMA: See page 42 for explanation of the input average UL Testing Method - Electrical, which allows this equipment to operate on the indicated circuit







Holding Cabinet HA4005

half size, electronic differential control, fanless, 15 amp (US)

MODEL	DESCRIPTION	LIST PRICE
HA4005	CVap Holding Cabinet, B-Series differential control, 5 cu. ft, 8 adjustable rack supports, 3" (76mm) casters	\$7,670.00

See page 20 for Holding Cabinet options, accessories and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
		US / CANADA										
8 HSP 8 STP	· · ·	120	60	1	14.8	1775	US 5-15P	215 (98)	call factory			
	` '					INTE	RNATIONAL					
	DP= 29.0" (737)				CALL	FACTORY F	OR INFORMAT	ION.				

 $HSP = Half sheet pan (18" \times 13" \times 1.25") \cdot STP = Steam table pan (12" \times 20" \times 2.5") \\ H1 = Height w/1" wheels *(requires purchase of PS2135 1.5" wheel and braket kit (installed in field)) \cdot H3 = Height w/3" casters \cdot DP = Depth w/pass-thru$



Holding Cabinet HA4507

half size/under counter, electronic differential control, fan

MODEL	DESCRIPTION	LIST PRICE
HA4507	CVap Holding Cabinet, A-Series differential control, fan, 7 cu ft (.21 cu. M), 4 adjustable rack supports, 3" (76mm) casters	\$7,518.00
	See page 20 for Holding Cabinet ontions, accessories and supplies	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
		US / CANADA										
4 SP 8 STP 4 GP 2/1	H1= 33.9" (861)* H3= 36.2" (919) H5= 38.2" (970) HT= 38.8" (986)	120	60	1	19.3	2320	US 5-20P CAN 5-30P	235 (107)	C1,3=26.6 (0.75) C5=30.1 (0.85)			
	, ,	INTERNATIONAL										
	W= 27.6" (701) WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955) DP= 36.4" (925)	230	50/60	1	10.1	2320	N/A	235 (107)	call factory			

SP=Sheet pan (18" x 26" x 1.25") • STP=Steam table pan (12" x 20" x 2.5") • GP=Gastronorm pan
H1=Height w/1" wheels *(requires purchase of PS2135 1.5" wheel and braket kit (installed in field)) • H3=Height w/3" casters • H5=Height w/5" casters
HT=Height w/transport or bumper guard • WT=Width w/ transport or bumper guard • DT=Depth w/ transport or bumper guard • DP=Depth w/pass-thru
NEMA: See page 42 for explanation of the input average UL Testing Method - Electrical, which allows this equipment to operate on the indicated circuit



Holding Cabinet HA4509 half size, electronic differential control, fan

MODEL DESCRIPTION LIST PRICE

HA4509 CVap Holding Cabinet, A-Series differential control, fan, 9 cu ft (.27 cu. M),

5 adjustable rack supports, 3" (76mm) casters

See page 20 for Holding Cabinet options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
		US / CANADA										
10 STP	,	120	60	1	19.3	2320	US 5-20P CAN 5-30P	250 (113)	C3,5=30.1 (0.85) CT=40.5 (1.15)			
	l ' '	INTERNATIONAL										
	WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955) DP= 36.4" (925)	230	50/60	1	10.1	2320	N/A	250 (113)	call factory			

SP=Sheet pan $(18" \times 26" \times 1.25") \cdot \text{STP}$ =Steam table pan $(12" \times 20" \times 2.5") \cdot \text{GP}$ =Gastronorm pan $\cdot \text{H3}$ =Height w/3" casters $\cdot \text{H5}$ =Height w/5" casters HT=Height w/ transport or bumper guard $\cdot \text{DT}$ =Depth w/ transport or bumper guard $\cdot \text{DT}$ =Depth w/pass-thru NEMA: See page 42 for explanation of the input average UL Testing Method $\cdot \text{Electrical}$, which allows this equipment to operate on the indicated circuit

Holding Cabinet HC4009

half size/under counter, electronic differential control, fanless

MODEL DESCRIPTION LIST PRICE

HC4009 CVap Holding Cabinet, B-Series differential control, 9 cu ft (.27 cu. M),

6 adjustable rack supports, 1" (25mm) wheels

See page 20 for Holding Cabinet options, accessories and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
		US / CANADA										
12 STP 6 GP 2/1	STP H2= 33.4" (848)	120	60	1	18.3	2200	US 5-20P CAN 5-30P	235 (107)	26.6 (0.75)			
	` ′	INTERNATIONAL										
	D= 34.5" (876) DP= 36.4" (925)	230	50/60	1	9.6	2200	N/A	235 (107)	call factory			

SP=Sheet pan (18" x 26" x 1.25") • STP=Steam table pan (12" x 20" x 2.5") • GP=Gastronorm pan H1=Height w/1" wheels • H2=Height w/2" casters • WT=Width w/bumper guard • DP=Depth w/pass-thru NEMA: See page 42 for explanation of the input average UL Testing Method - Electrical, which allows this equipment to operate on the indicated circuit







Holding Cabinet HA4511 half size, electronic differential control, fan

MODEL	DESCRIPTION	LIST PRICE
HA4511	CVap Holding Cabinet, A-Series differential control, 11 cu. ft (.22 cu. M), 7 adjustable universal rack supports, 3" (76mm) casters	\$9,259.00
	See page 20 for Holding Cabinet options, accessories, and supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube				
		US / CANADA											
14 GP 1/1	H3= 45.9" (1165) H5= 47.9" (1217) HT= 48.4" (1229)	120	60	1	19.3	2320	US 5-20P CAN 5-30P	305 (138)	C3=31.9 (0.9) C5=35.5 (1.0)				
7 GP 2/1	W= 27.6" (701)	INTERNATIONAL											
	WT= 29.5 (749) D= 34.5" (876) DT= 37.6" (955) DP= 36.4" (925)	230	50/60	1	10.1	2320	N/A	call factory	call factory				

SP=Sheet pan $(18" \times 26" \times 1.25") \cdot \text{STP}$ =Steam table pan $(12" \times 20" \times 2.5") \cdot \text{GP}$ =Gastronorm pan $\cdot \text{H3}$ =Height w/3" casters $\cdot \text{H5}$ =Height w/5" casters HT=Height w/transport or bumper guard $\cdot \text{DT}$ =Depth w/transport or bumper guard $\cdot \text{DT}$ =Depth w/pass-thru NEMA: See page 42 for explanation of the input average UL Testing Method $\cdot \text{Electrical}$, which allows this equipment to operate on the indicated circuit



Holding Cabinet HMA018

full size, mobile, electronic differential control with dual dial, fanless

MODEL	DESCRIPTION	LIST PRICE
HMA018	CVap hold, dual dial differential control, 18 cu. ft (.54 cu. M), 10 adjustable universal rack supports, transport, 5" (127mm) casters	\$8,855.00
	See page 20 for Holding Cabinet options, accessories, and supplies.	
	see page 20 for Holaing Cabillet Options, accessories, and supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
20 STP	H= 66.5" (1689) W= 29.5" (749) D= 37.6" (955)	120	60	1	15.3	1840	US 5-15P CAN 5-20P	370 (168)	55.5 (1.6)
						INTE	RNATIONAL		
		230	50/60	1	8.0	1840	N/A	370 (68)	call factory

SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan



Holding Cabinet HA4519 full size, electronic differential control, fan

MODEL	DESCRIPTION	LIST PRICE
HA4519	CVap Holding Cabinet, A-Series differential control, fan, 19 cu. ft (.57 cu. M),	\$9,400.00
	14 adjustable rack supports, 3" (76mm) casters	

See page 20 for Holding Cabinet options, accessories and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
14 SP	H5= 74.9" (1902) HT= 75.7" (1923)	120	60	1	19.3	2320	US 5-20P CAN 5-30P	394 (179)	60.0 (1.7)
	W= 24.6" (625)					INTE	RNATIONAL		
	WT= 26.5" (673) D= 34.5" (876) DT= 37.6" (955) DP= 36.4" (925)	230	50/60	1	10.1	2320	N/A	394 (179)	call factory

SP=Sheet pan (18" x 26" x 1.25") • H3=Height w/3" casters • H5=Height w/5" casters • HT=Height w/ transport or bumper guard • WT=Width w/ transport or bumper guard • DP=Depth w/ pass-thru • NEMA: See page 42 for explanation of the input average UL Testing Method - Electrical, which allows this equipment to operate on the indicated circuit

Holding Cabinet HL4022-AL

full size, electronic differential control, aluminum exterior, fanless, 15 amp (US)

MODEL	DESCRIPTION	LIST PRICE
HL4022-AL	CVap Holding Cabinet, A-Series differential control, 22 cu. ft (.66 cu. M), 14 adjustable universal wire rack supports, aluminum exterior, 3" (76mm) casters	\$7,188.00
	See page 20 for Holding Cabinet options, accessories, and supplies.	



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
		US / CANADA							
28 STP 14 GP 2/1	H3= 73.1" (1857) H5= 74.9" (1902) HT= 75.7" (1923) W= 27.6" (701)	120	60	1	14.0	1685	US 5-15P CAN 5-20P	370 (168)	60.0 (1.7)
	, ,					INTE	RNATIONAL		
	WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955)				CALL	FACTORY F	OR INFORMAT	ION.	

SP=Sheet pan (18" x 26" x 1.25") • STP=Steam table pan (12" x 20" x 2.5") • GP=Gastronorm pan • H3=Height w/3" casters • H5=Height w/5" casters HT=Height w/transport or bumper guard • WT=Width w/transport or bumper guard • DT=Depth w/transport or bumper guard







Holding Cabinet HA4022

full size, electronic differential control, fanless

MODEL	DESCRIPTION	LIST PRICE
HA4022	CVap Holding Cabinet, A-Series differential control, 22 cu. ft (.66 cu. M), 14 adjustable universal wire rack supports, 3" (76mm) casters	\$8,488.00
	See page 20 for Holding Cabinet options, accessories and supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
			US / CANADA									
14 SP H3= 73.1" (1857) 28 STP H5= 74.9" (1902) 14 GP 2/1 HT= 75.7" (1923)	120	60	1	17.6	2112	US 5-20P CAN 5-30P	370 (168)	60.0 (1.7)				
	W= 27.6" (701)					INTE	RNATIONAL					
\ [WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955) DP= 36.4" (1925)	230	50/60	1	9.2	2112	N/A	370 (168)	call factory			

SP=Sheet pan (18" x 26" x 1.25") • STP=Steam table pan (12" x 20" x 2.5") • GP=Gastronorm pan • H3=Height w/3" casters • H5=Height w/5" casters HT=Height w/transport or bumper guard • DT=Depth w/transport or bumper guard • DP=Depth w/pass-thru NEMA: See page 42 for explanation of the input average UL Testing Method - Electrical, which allows this equipment to operate on the indicated circuit



Holding Cabinet HL4522-AL

full size, electronic differential control, fan, aluminum exterior, 15 amp (US)

MODEL	DESCRIPTION	LIST PRICE
HL4522-AL	CVap Holding Cabinet, A-Series differential control, fan, 22 cu. ft (.66 cu. M), 14 adjustable universal wire rack supports, aluminum exterior, 3" (76mm) casters	\$7,816.00
	See page 20 for Holding Cabinet options, accessories, and supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube	
		US / CANADA								
14 SP 28 STP 14 GP 2/1	H3= 73.1" (1857) H5= 74.9" (1902) HT= 75.7" (1923) W= 27.6" (701)	120	60	1	14.5	1730	US 5-15P CAN 5-20P	370 (168)	C3,5=60 (1.7) CT=73.9 (2.1)	
	, ,					INT	ERNATIONAL			
	WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955)				CALL FACT	ORY FOR I	NFORMATION.			

SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan • H3=Height w/3" casters • H5=Height w/5" casters HT=Height w/transport or bumper guard • WT=Width w/transport or bumper guard • DT=Depth w/transport or bumper guard



Holding Cabinet HL4522-SS

full size, electronic differential control, fan, 15 amp (US)

MODEL	DESCRIPTION	LIST PRICE
HL4522	CVap Holding Cabinet, A-Series differential control, fan, 22 cu. ft (.66 cu. M),	\$9,985.00
	14 adjustable rack supports, 3" (76mm) casters	

See page 20 for Holding Cabinet options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
14 SP 28 STP 14 GP 2/1	H3= 73.1" (1857) H5= 74.9" (1902) HT= 75.7" (1923) W= 27.6" (701)	120	60	1	14.4	1730	US 5-15P CAN 5-20P	420 (191)	C3, 5=60 (1.7) CT=73.9 (2.1)
	WT= 29.5" (749)					INT	ERNATIONAL		
	D= 34.5" (876) DT= 37.6" (955)				C	ALL FACTO	RY FOR INFORI	MATION.	

SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan H3=Height w/3" casters • H5=Height w/5" casters • HT=Height w/transport or bumper guard • WT=Width w/transport or bumper guard DT=Depth w/transport or bumper guard

Holding Cabinet HA4522 full size, electronic differential control, fan

MODEL	DESCRIPTION	LIST PRICE
HA4522	CVap Holding Cabinet, A-Series differential control, fan, 22 cu. ft (.66 cu. M), 14 adjustable rack supports, 5" (76mm) casters	\$9,985.00
HA4522-HR-5	CVap Holding Cabinet, A-Series differential control, fan, 22 cu. ft (.66 cu. M), 14 adjustable rack supports, hinge right, 5" (127mm) casters	10,116.00

See page 20 for Holding Cabinet options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
28 STP 14 GP 2/1	H3= 73.1" (1857) H5= 74.9" (1902) HT= 75.7" (1923) W= 27.6" (701)	120	60	1	19.3	2320	US 5-20P CAN 5-30P	420 (190)	C3,5=60 (1.7) CT=73.9 (2.1)
	WT= 29.5" (749)					INT	RNATIONAL		
	D= 34.5" (876) DT= 37.6" (955) DP= 36.4" (925)	230	50/60	1	10.1	2320	N/A	420 (190)	call factory

 $SP=Sheet pan (18"x26"x1.25") \bullet STP=Steam table pan (12"x20"x2.5") \bullet GP=Gastronorm pan \bullet H3=Height w/3" casters \bullet H5=Height w/5" casters \\ HT=Height w/transport or bumper guard \bullet WT=Width w/transport or bumper guard \bullet DT=Depth w/transport or bumper guard \bullet DP=Depth w/pass-thru NEMA: See page 42 for explanation of the input average UL Testing Method - Electrical, which allows this equipment to operate on the indicated circuit$







Holding Cabinet Options, Accessories & Supplies

Options	Description	List Price
Hinging	Left or right hand hinge	\$0.00
Casters/Legs	3" (76mm) casters (2 locking), 4" (102mm) legs (03 models only), or 6" (152mm) legs	0.00
Wheels, 1" (25mm)	1" (25mm) wheels standard on HC4009 (available for HA4003, HA4503 and HA4507 only)	158.00
Casters, 2" (51mm)	2" (51mm) swivel casters for HC4009	108.00
5" (127mm) Casters	5" (127mm) swivel casters (2 locking) (Not available for HC4009 and HA4005 models)	131.00
Windows (full)	Windows in both doors (full size equipment)	359.00
Window (half/under)	Window in door (half size or under counter equipment)	180.00
Pass-Thru (full)***	Second set of doors on back of cabinet (full size equipment, HA only)	1,011.00
Pass-Thru (half/under)***	Second door on back of cabinet (half size or under counter equipment)	506.00
Pass-Thru/Window (full)***	Second set of doors on back of cabinet, windows in doors (full size equipment, HA only)	1,729.00
Pass-Thru/Window (half/under)***	Second door on back of cabinet, window in doors (half size equipment)	865.00
Solid Rack Supports	Solid stainless steel rack supports (replaces standard wire supports) HA4003, HA4005, HA4503, HA4509	345.00
Solid Rack Supports	Solid stainless steel rack supports (replaces standard wire supports) HA4507	277.00
Solid Rack Supports	Solid stainless steel rack supports (replaces standard wire supports) HC4009	406.00
Solid Rack Supports	Solid stainless steel rack supports (replaces standard wire supports) HA4511	414.00
Solid Rack Supports	Solid stainless steel rack supports (replaces standard wire supports) HA4522, HL4522-AL, HA4022, HL4022-AL, HA4519	966.00
Auto Water Fill	Automatic water fill system	777.00
Drain Ball Valve	Addition of a drain ball valve to equipment	132.00
Transport**	Bumper guard base with 5" (127mm) casters (2 locking), cord wrap, evaporator cover, push/pull handles	1,179.00
Cord Wrap	Allows cord to be wrapped on rear of cabinet	91.00
Control Cover, A Series	Covers control, for A Series only	66.00
Control Cover, B Series	Covers control, for B Series only	66.00
Bumper Guard Base**	Full perimeter bumpers with 5" (127mm) casters (2 locking), 90° elbow, ball valve	711.00
Security Hardware	Replaces all standard external screws with tamper-proof hardware (HA4522 and HA4022 only)	463.00
Locking Handle	Provides locking handle with key for one door (price is per door)	32.00
Flip-up Door	Flip-up door option (HA4509 model only)	352.00
Accessories & Supplies	Description	List Price
PS2429	External water filter (for auto water fill cabinets)	\$649.00
PS2090	Leg & shelf kit 27 ¾"(07 model)	1,892.00
PS2124	Leg & shelf kit, 23 ¾" (635mm) (09 models)	1,717.00
PS2352	Leg & shelf kit, 19 ¾" (533mm) (11 models)	1,752.00
PS2980-1	Additional rack support, wire, stainless steel, (07, 09, 11, 18, 22 models only) (2 required)	111.00
PS2980-28	Additional rack support, wire, stainless steel, (07, 09, 11, 18, 22 models only) (28 pack)	615.00
PS2935-1	Additional rack support, wire stainless steel (03 models only) (2 required)	96.00
PS2935-10	Additional rack support, wire stainless steel (03 models only) (10 pack)	742.05
PS2078	Stack kit w/air space, heavy duty (07, 09 models)	630.00
PS2428	Stack kit w/air space, heavy duty (03 models)	446.00
PS2206-1	Chrome wire rack/tray (does not fit HA4003, HA4503 or HA4005 models)	111.00
PS2206-4	Chrome wire rack/tray (4 pack) (does not fit HA4003, HA4503 or HA4005 models)	348.00
PS2206-6	Chrome wire rack/tray (6 pack) (does not fit HA4003, HA4503 or HA4005 models)	462.00
PS2206-14	Chrome wire rack/tray (14 pack) (does not fit HA4003, HA4503 or HA4005 models)	1,042.00
PS2351	11" (279mm) top cover extension (22 models)	416.00
PS2553	8.5" (216mm) top cover extension (22 models)	363.00
PS3061	9.6" (234 mm) top cover extension (22 models)	370.00
Extended Warranty	Description	Net Price
Extended Warranty*	Full parts and labor warranty coverage for an additional year (holding cabinet)	\$260.00

^{***} HL Models are not available in Pass-Thru or Pass-Thru with windows.

^{*} See page 5 for extended warranty purchase information.



^{**} Transport and bumper guard options are not available for the HA4003, HA4005, or HA4503.



Hold & Serve Drawer HBB0D1

electronic differential control, fanless, 1 drawer, wide

MODEL	DESCRIPTION	LIST PRICE
HRROD1	CVan Hold & Serve Drawer differential push button control 1 drawer	\$3 972 00

wide, 1/2" (13mm) feet

See page 26 for Hold & Serve Drawer options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
2 Half STP 3 Third STP	H= 15.7" (399) H4= 19.7" (500) H6= 21.7" (551) W= 24.1" (612)	120	60	1	12.0	1440	US 5-15P CAN 5-20P	110 (50)	8.7 (0.25)
1 01 1/1	` ′					INTE	RNATIONAL		
Accepts up to 6" deep pans	D= 29.3" (744)	230	50/60	1	6.3	1440	N/A	110 (50)	call factory

STP=Steam table pan (12" x 20" x 2.5") • H4=Height w/4" legs • H6=Height w/6" legs • GP=Gastronorm pan

Hold & Serve Drawer HBB0D2

electronic differential control, fanless, 2 drawer, wide

MODELDESCRIPTIONLIST PRICEHBB0D2CVap Hold & Serve Drawer, differential push button control, 2 drawer,\$5,688.00

See page 26 for Hold & Serve Drawer options, accessories, and supplies.

wide, 1/2" (13mm) feet



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube		
			US / CANADA								
4 Half STP 6 Third STP	H= 25.3" (643) H4= 29.3" (744) H6= 31.3" (795) W= 24.1" (612)	120	60	1	12.0	1440	US 5-15P CAN 5-20P	140 (64)	11.7 (0.33)		
	` '					INTE	RNATIONAL				
Accepts up to 6" deep pans	D= 29.3" (744)	230	50/60	1	6.3	1440	N/A	140 (64)	call factory		

 $STP = Steam\ table\ pan\ (12"\ x\ 20"\ x\ (up\ to)\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ w/6"\ legs \bullet GP = Gast$







Hold & Serve Drawer HBB5D1

electronic differential control, fan, 1 drawer, wide

MODEL	DESCRIPTION	LIST PRICE
HBB5D1	CVap Hold & Serve Drawer, differential push button control, fan, 1 drawer,	\$4,370.00
	wide, 1/2" (13mm) feet	

See page 26 for Hold & Serve Drawer options, accessories, and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube						
						US	/ CANADA								
2 Half STP 3 Third STP	H= 15.7" (399) H4= 19.7" (500) H6= 21.7" (551) W= 24.1" (612)	120	60	1	13.1	1572	US 5-15P CAN 5-20P	110 (50)	8.7 (0.25)						
	` ′					INTE	RNATIONAL								
Accepts up to 6" deep pans	D= 29.3" (744)				CALL	FACTORY	FOR INFORMA	TION.							

 $STP = Steam\ table\ pan\ (12"\ x\ 20"\ x\ 2.5") - accepts\ up\ to\ 6"\ (152mm)\ deep\ pans\ \cdot\ H4 = Height\ w/4"\ legs\ \cdot\ H6 = Height\ w/6"\ legs\ \cdot\ GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 2.5") - accepts\ up\ to\ 6"\ (152mm)\ deep\ pans\ \cdot\ H4 = Height\ w/4"\ legs\ \cdot\ H6 = Height\ w/6"\ legs\ \cdot\ GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 2.5") - accepts\ up\ to\ 6"\ (152mm)\ deep\ pans\ \cdot\ H4 = Height\ w/4"\ legs\ \cdot\ H6 = Height\ w/6"\ legs\ \cdot\ GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 2.5") - accepts\ up\ to\ 6"\ legs\ (152mm)\ deep\ pans\ (152mm)\ de$



Hold & Serve Drawer HBB5D2

electronic differential control, fan, 2 drawer, wide

MODEL	DESCRIPTION	LIST PRICE
HBB5D2	CVap Hold & Serve Drawer, differential push button control, fan, 2 drawer, wide, 1/2" (13mm) feet	\$5,544.00
	See page 26 for Hold & Serve Drawer options, accessories, and supplies	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
4 Half STP 6 Third STP	H= 25.3" (642) H4= 29.3" (744) H6= 31.3" (795) W= 24.1" (612)	120	60	1	13.1	1572	US 5-15P CAN 5-20P	140 (64)	11.7 (0.33)
	` '					INTE	RNATIONAL		
Accepts up to 6" deep pans	D= 29.3" (744)				CALL	FACTORY	FOR INFORMA	TION.	

 $STP = Steam\ table\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/6"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/6"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan(12"\ x\ 20"\ x\ 20"\$



HOLD & SERVE DRAWERS



Hold & Serve Drawer HBB0N1

electronic differential control, fanless, 1 drawer, narrow

MODEL	DESCRIPTION	LIST PRICE
HBB0N1	CVap Hold & Serve Drawer, differential push button control, 1 drawer, narrow, 1/2" (13mm) feet	\$3,972.00

See page 26 for Hold & Serve Drawer options, accessories, and supplies.



capaci	ity size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
		US / CANADA							
1 STP 2 Half STI 3 Third ST 1 GP 1/1	(,	120	60	1	12.0	1440	US 5-15P CAN 5-20P	95 (43)	6.2 (0.18)
I GF 1/1	` '					INTE	RNATIONAL		
Accepts t 6" deep p		230	50/60	1	6.3	1440	N/A	95 (43)	call factory

STP=Steam table pan (12" x 20" x 2.5") - accepts up to 6" deep pans • H4=Height w/4" legs • H6=Height w/6" legs • GP=Gastronorm pan

Hold & Serve Drawer HBB0N2

electronic differential control, fanless, 2 drawer, narrow

MODEL	DESCRIPTION	LIST PRICE
HBB0N2	CVap Hold & Serve Drawer, differential push button control, 2 drawer, narrow, 1/2" (13mm) feet	\$5,688.00

See page 26 for Hold & Serve Drawer options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
4 Half STP 6 Third STP	H= 25.5" (648) H4= 29.5" (749) H6= 31.5" (800) W= 16.5" (419)	120	60	1	12.0	1440	US 5-15P CAN 5-20P	125 (57)	9.5 (0.27)
	· '					INTE	RNATIONAL		
Accepts up to 6" deep pans		230	50/60	1	6.3	1440	N/A	125 (57)	call factory

 $STP = Steam\ table\ pan\ (12"\ x\ 20"\ x\ (up\ to)\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ (up\ to)\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ (up\ to)\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ (up\ to)\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ (up\ to)\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 20"\ x\ (up\ to)\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\$





\$4,370.00



OS=Quick Ship

Hold & Serve Drawer HBB5N1

electronic differential control, fan, 1 drawer, narrow

MODEL DESCRIPTION LIST PRICE

HBB5N1

CVap Hold & Serve Drawer, differential push button control, fan, 1 drawer, narrow, 1/2" (13mm) feet

See page 26 for Hold & Serve Drawer options, accessories, and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
2 Half STP 3 Third STP	H= 15.7" (399) H4= 19.7" (500) H6= 21.7" (551) W= 16.5" (419)	120	60	1	13.1	1572	US 5-15P CAN 5-20P	95 (43)	6.2 (0.18)
	D= 24.1" (612)					INTE	RNATIONAL		
Accepts up to 6" deep pans	` ′				CALL	FACTORY I	FOR INFORMAT	ION.	

STP=Steam table pan (12" x 20" x 6") • GP=Gastronorm pan • H4=Height w/4" legs • H6=Height w/6" legs



Hold & Serve Drawer HBB5N2 electronic differential control, fan, 2 drawer, narrow

MODEL	DESCRIPTION	LIST PRICE
HBB5N2	CVap Hold & Serve Drawer, differential push button control, fan, 2 drawer, narrow, 1/2" (13mm) feet	\$6,084.00
	See page 26 for Hold & Serve Drawer options, accessories, and supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube	
			US / CANADA							
4 Half STP 6 Third STP	H= 25.5" (648) H4= 29.5" (749) H6= 31.5" (800) W= 16.5" (419)	120	60	1	13.1	1572	US 5-15P CAN 5-20P	125 (57)	9.5 (0.27)	
	` '					INTE	RNATIONAL			
Accepts up to 6" deep pans					CALL	FACTORY	FOR INFORMA	TION.		

STP=Steam table pan (12" x 20" x 6") • GP=Gastronorm pan • H4=Height w/4" legs • H6=Height w/6" legs



Hold & Serve Drawer HBK5D1 8 timer electronic control, fan, 1 drawer, wide



See page 26 for Hold & Serve Drawer options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
	US / CANADA								
2 Half STP 3 Third STP	H= 15.7" (399) H4= 19.7" (500) H6= 21.7" (551) W= 24.1" (612)	120	60	1	13.1	1572	US 5-15P CAN 5-20P	115 (52)	8.2 (0.23)
	` ′					INTE	RNATIONAL		
Accepts up to 6" deep pans	D= 29.3" (744)	230	50/60	1	7.5	1717	N/A	115 (52)	call factory

 $STP = Steam\ table\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet GP = Gastronorm\ pan\ (12"\ x\ 20"\ x\ 6") \bullet H4 = Height\ w/4"\ legs \bullet H6 = Height\ w/6"\ legs \bullet H6 =$

Hold & Serve Drawer HBL5W1

8 timer electronic control, fan, 1 drawer, wide, low profile

MODEL	DESCRIPTION	LIST PRICE
HBL5W1	CVap Hold & Serve Drawer, 8 timer control, fan, 1 drawer, wide,	\$5,708.00

See page 26 for Hold & Serve Drawer options, accessories, and supplies.

1/2" (13mm) feet



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube		
			US / CANADA								
2 Half STP 3 Third STP	H= 13.7" (348) H4= 17.7" (450) H6= 19.7" (500) W= 24.1" (612)	120	60	1	13.1	1572	US 5-15P CAN 5-20P	115 (52)	8.2 (0.23)		
	` ′					INTE	RNATIONAL				
	D= 29.3" (744)	230	50/60	1	7.5	1717	N/A	115 (52)	call factory		

STP=Steam table pan (12" x 20" x 4") • H4=Height w/4" legs • H6=Height w/6" legs • GP=Gastronorm pan





Hold & Serve Drawer Options, Accessories & Supplies

Options	Description	List Price
2" Legs	2-inch legs for drawer unit	\$105.00
4" Legs	4-inch legs for drawer unit	115.00
6" Legs	6-inch legs for drawer unit	320.00
Control Cover, B Series	Covers control panel, Series B only	66.00
Accessories & Supplies	Description	List Price
PS2212	Tray, drawer - for "D" (wide) models	\$205.00
PS2259	Water fill trough	98.00
Extended Warranty	Description	Net Price
Extended Warranty*	Full parts and labor warranty coverage for an additional year (hold & serve drawer)	\$99.00

^{*}See page 5 for extended warranty purchase information.

Universal Holding Bin (UHB) Cabinet

half size, electronic differential control

MODEL	DESCRIPTION	LIST PRICE
HA8503-04	CVap UHB Cabinet, hinged right only, differential control, 20A, 4 bin, 4" legs	\$7,850.00
HA8503-08	CVap UHB Cabinet, hinged right only, differential control, 20A, 8 bin, 4" legs	8,282.00

See below for UHB Cabinet options, accessories, and supplies.



8 Bin Model with Flip-Up Doors Shown

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
4 - 2.5" Steam	H= 36.1" (917) W= 19.9" (505) D= 27.1" (688)	120	60	1	11.9	1428	US 5-15P CAN 5-15P	160 (73)	15.6 (0.44)
						INTE	RNATIONAL		
HA8503-8 8 - 2.5" Shotgun Pans		230	50/60	1	9.8	2260	N/A	160 (73)	call factory

 $NEMA: See \ page \ 42 \ for \ explanation \ of \ the \ input \ average \ UL \ Testing \ Method - Electrical, \ which \ allows \ this \ equipment \ to \ operate \ on \ the \ indicated \ circuit$

Universal Holding Bin Options, Accessories & Supplies

Options	Description	List Price
Water Fill System	Automatic water fill system	777.00
Drain Ball Valve	Addition of drain ball valve to equipment	132.00
Pass-Thru	Second set of doors on back of cabinet	786.00
Accessories & Supplies	Description	List Price
PS2428	Stacking kit with air space, heavy-duty	\$446.00
PS2429	External water filter for auto water fill	649.00
Extended Warranty	Description	Net Price
Extended Warranty*	Full parts and labor warranty coverage for an additional year (universal holding bin)	\$260.00

*See page 5 for extended warranty purchase information.







Cook & Hold Oven CAC503

half size, under counter, programmable control, fan, auto water fill


DESCRIPTION	LIST PRICE
CVap Cook & Hold Oven, Silver edition, 2 channel control, 3 cu. ft. (.09 cu. M) 4 adjustable universal rack supports, fan, auto water fill, 3" casters	\$9,048.00
See page 32 for Cook & Hold Oven options, accessories, and supplies.	
	CVap Cook & Hold Oven, Silver edition, 2 channel control, 3 cu. ft. (.09 cu. M) 4 adjustable universal rack supports, fan, auto water fill, 3" casters

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
4 STP 8 Half STP	H1= 33.9" (859)* H3= 36.0" (914) H5= 38.1" (968) W= 19.9" (505)	208	60	1	12.7	2644	US 6-20P CAN 6-20P	170 (77)	15.6 (0.44)
3 01 1/1	, ,					INTE	RNATIONAL		
	D= 27.1" (688) DP= 29.0" (737)	230	50	1	11.5	2644	N/A	170 (77)	call factory

Half SP=Half sheet pan (18" x 13" x 1.25") • STP=Steam table pan (12" x 20" x 2.5") • GP=Gastronorm pan DP=Depth w/pass thru

Cook & Hold Oven CAC507

half size, programmable control, fan, auto water fill



See page 32 for Cook & Hold Oven options, accessories, and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube		
			US/CANADA								
4 SP 8 STP 4 GP 2/1	H1= 33.9" (861)* H3= 36.1" (919) H5= 38.2" (970)	208	60	1	24.0	4990	6-30P	240 (109)	C1,3=26.6 (0.75)		
8 GP 1/1	HT= 38.8" (986) W= 27.6" (701) WT= 29.5" (749)	240	60	1	21.1	4990	6-30P	2.0 (182)	C5=30.1 (0.85)		
	· '					INTI	ERNATIONAL				
	D= 34.5" (876) DT= 37.6" (955) DP= 36.4" (925)	230	50	1	23.3	5365	N/A	240 (109)	call factory		

SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan H1=Height w/1" wheels *(requires purchase of PS2135 1.5" wheel and braket kit (installed in field)) • H3=Height w/3" casters • H5=Height w/5" casters $HT = Height\ w/transport\ or\ bumper\ guard\ \cdot\ DT = Depth\ w/transport\ or\ bumper\ guard\ or\ bumper\ guard\$



LIST PRICE

\$10,300.00

10,300.00

\$11,279.00

\$18,203.00

Cook & Hold Oven CAC509

half size, programmable control, fan, auto water fill

MODEL DESCRIPTION LIST PRICE

CAC509 CVap Cook & Hold Oven, Silver edition, 2 channel control, 9 cu. ft. (.27 cu. M)

5 adjustable universal rack supports, fan, auto water fill, chrome wire oven

racks (set of two)

See page 32 for Cook & Hold Oven options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube	
		US / CANADA								
5 SP 10 STP 5 GP 2/1	H3= 41.2" (1046) H5= 43.2" (1097) HT= 43.7" (1110)	208	60	1	24.0	4990	6-30P	260 (118)	C3=30.1 (0.85)	
10 GP 1/1	W= 27.6" (701) WT= 29.5" (749) D= 34.5" (876)	240	60	1	21.1	4990	6-30P	200 (110)	C5=32.2 (0.91)	
	` ′	INTERNATIONAL								
	DT= 37.6" (955) DP= 36.4" (925)	230	50	1	23.3	5365	N/A	260 (118)	call factory	

SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan H3=Height w/3" casters • H5=Height w/5" casters • HT=Height w/transport or bumper guard WT=Width w/transport or bumper guard • DP=Depth w/pass-thru

Cook & Hold Oven CAC522

full size, programmable control, fan, auto water fill

MODEL	DESCRIPTION	LIST PRICE

CAC522 CVap Cook & Hold Oven, Silver edition, 2 channel control, 22 cu. ft. (.66 cu.

M) 14 adjustable universal rack supports, fan, auto water fill, chrome wire

oven racks (set of 4)

See page 32 for Cook & Hold Oven options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
14 SP 28 STP 14 GP 2/1	P HT= 75.7" (1923)	208	60	1	37.4	7779	6-50P		
28 GP 1/1	WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955)	208	60	3	23.7	7779	15-30P	410 (186)	60.0 (1.7)
	DP= 36.4" (925)	240	60	1	32.4	7779	N/A		
					INTERNATIONAL				
					CALL	FACTORY	FOR INFORMA	TION.	

SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan HT=Height w/transport or bumper guard WT=Width w/transport or bumper guard • DT=Depth w/transport or bumper guard • DP=Depth w/pass-thru







Cook & Hold Oven CAC507/CAC507

stacked pair, programmable control, fan, auto water fill

MODEL	DESCRIPTION	LIST PRICE
CAC507/	CVap Cook & Hold Ovens, Silver edition, 2 channel control, 14 cu. ft.	\$18,983.00
CAC507-Stk	(.42 cu. M) 8 adjustable universal rack supports, fan, auto water fill,	
	chrome wire oven racks (two sets of two), stacking kit	

See page 32 for Cook & Hold Oven options, accessories, and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube		
		US / CANADA									
TOTAL for BOTH UNITS	H3= 71.1" (1806) H5= 73.5" (1867)	` ′									
8 SP 16 STP 8 GP 2/1 16 GP 1/1	HT= 74.3" (1887) W= 27.6" (701) WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955)		See model page for electrical and dimensional data on the individual units. CAC507 - page 29 Units will be shipped in separate cartons and must be assembled at installation site.								
	DP= 36.4" (925)										

SP=Sheet pan (18"x26"x1.25") \cdot STP=Steam table pan (12"x20"x2.5") \cdot GP=Gastronorm pan H3=Height w/3" casters \cdot H5=Height w/5" casters

HT=Height w/transport or bumper quard • WT=Width w/transport or bumper quard • DT=Depth w/transport or bumper quard • DP=Depth w/pass-thru



Cook & Hold Oven CAC507/CAC509

stacked pair, programmable control, fan, auto water fill

MODEL	DESCRIPTION	LIST PRICE
CAC507/ CAC509-Stk	CVap Cook & Hold Ovens, Silver edition, 2 channel control, 16 cu. ft. (.48 cu. M) 9 adjustable universal rack supports, fan, auto water fill, 4 chrome wire oven racks, stacking kit	\$19,166.00
	See page 32 for Cook & Hold Oven options, accessories, and supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube	
		US / CANADA								
TOTAL for BOTH UNITS	H3= 76.5" (1943) H5= 78.5" (1994)									
9 SP 18 STP 9 GP 2/1 18 GP 1/1	HT= 79.3" (2014) W= 27.6" (701) WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955) DP= 36.4" (925)		See model page for electrical and dimensional data on the individual units. CAC507 - page 28 • CAC509 - page 29 Units will be shipped in separate cartons and must be assembled at installation site.							
	101 = 30.4 (923)									

 $SP=Sheet pan (18"x26"x1.25") \bullet STP=Steam table pan (12"x20"x2.5") \bullet GP=Gastronorm pan \bullet H3=Height w/3" casters \bullet H5=Height w/5" casters \bullet H5=Height w/transport or bumper guard \bullet WT=Width w/transport or bumper guard \bullet DT=Depth w/transport or bumper guard \bullet DP=Depth w/pass-thru$



Cook & Hold Oven CAC507/ Holding Cabinet HA4507 stacked pair, fan

MODEL	DESCRIPTION	LIST PRICE
CAC507/ HA4507-Stk	CVap Cook & Hold Oven, stacked, Silver edition, 2 channel control, 7 cu. ft. (.21 cu. M), 8 adjustable universal rack supports, fan, auto water fill, chrome wire oven racks (set of 2), and CVap Holding Cabinet, A-Series differential control, fan, 7 cu. ft. (.21 cu. M) 4 adjustable rack supports, stacking kit	\$16,116.00
	See page 32 for Cook & Hold Oven options, accessories, and supplies.	

See page 20 for Holding Cabinet options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. Ib (kg)	ship cube		
		US / CANADA									
TOTAL for BOTH UNITS	H3= 71.1" (1806) H5= 73.5" (1867)										
8 SP 16 STP 8 GP 2/1 16 GP 1/1	HT= 74.3" (1887) W= 27.6" (701) WT= 29.5" (749) D= 34.5" (876) DT= 37.6" (955)		See mode	l page	CAC50 Units wi	7 - page 2 III be shipp	limensional da 8 • HA4507 - p ped in separate abled at installa	cartons	units.		
	DP= 36.4" (925)										

 $SP = Sheet \ pan \ (18"x26"x1.25") \cdot STP = Steam \ table \ pan \ (12"x20"x2.5") \cdot GP = Gastronorm \ pan \\ H3 = Height \ w/3" \ casters \cdot H5 = Height \ w/5" \ casters \cdot DP = Depth \ w/pass-thru \\ HT = Height \ w/transport \ or \ bumper \ guard \cdot WT = Width \ w/transport \ or \ bumper \ guard \cdot DT = Depth \ w/transport \ or \ bum$





Cook & Hold Oven Options, Accessories & Supplies

Options	Description	List Price
Hinging	Left or right hand hinge	\$0.00
Casters/Legs	3" (76mm) casters (2 locking), 5" (127mm) casters, or 4" (102mm) (03 models only) or 6" (152mm) legs	0.00
Wheels, 1" (25mm)	1" (25mm) wheels (available for CAC503 and CAC507 only)	158.00
Windows (22)	Windows in both doors	381.00
Window (03, 07, 09)	Window in door (half size or under counter equipment)	229.00
Gold Edition	Gold edition control panel, 6-channel control HACCP (Hazard Analysis Critical Control Point) Recall System (price per unit)	422.00
Pass-Thru (22)	Second set of doors on back of cabinet (full size equipment)	1,072.00
Pass-Thru (03, 07, 09)	Second door on back of cabinet (half size or under counter equipment)	536.00
Pass-Thru/Window (full)	Second set of doors on back of cabinet, windows in doors (full size equipment)	1,833.00
Pass-Thru/Window (03, 07, 09)	Second door on back of cabinet, window in doors (half size equipment)	992.00
Cord Wrap	Allows cord to be wrapped on rear of cabinet	91.00
Transport**	Bumper guard base, cord wrap, evaporator cover, push/pull handles	1,179.00
Bumper Guard Base**	Full perimeter bumpers with 5" (127mm) casters (2 locking), 90° elbow, ball valve	711.00
Locking Handle	Provides locking handle with key for one door (price is per door)	32.00
Accessories & Supplies	Description	List Price
PS2429	External water filter for auto water fill	\$649.00
PS2078	Stack kit w/air space, heavy duty (07, models)	630.00
PS2428	Stack kit w/air space, heavy duty (03 models)	446.00
PS2090	27 ¾"(705mm) leg & shelf kit (07 models)	1,892.00
PS2124	23 ¾" (603 mm) Leg & shelf kit (09 models)	1,717.00
PS2206-1	Chrome wire rack/tray (does not fit CAC503 model)	111.00
PS2206-4	Chrome wire rack/tray (4 pack) (does not fit CAC503 model)	348.00
PS2206-6	Chrome wire rack/tray (6 pack) (does not fit CAC503 model)	462.00
PS2206-14	Chrome wire rack/tray (14 pack) (does not fit CAC503 model)	1042.00
PS2980-1	Additional rack support, wire, stainless steel (07, 09, 22 models only) (2 required)	111.00
PS2980-28	Additional rack supports, wire, stainless steel (07, 09, 22 models only) (28 pack)	615.00
PS2935-1	Additional rack supports, wire stainless steel (03 models only) (2 required)	96.00
PS2935-10	Additional rack supports, wire stainless steel (03 models only) (10 pack)	757.00
PS3145	Smoker box attachment that converts oven into a smoker	685.00
Extended Warranty	Description	Net Price
	Full parts and labor warranty coverage for an additional year (cook & hold oven)	\$318.00

 $[\]hbox{\it **Transport and bumper guard options are not available for the CAC503}.$

^{*} See page 5 for extended warranty purchase information.

Thermalizer Oven CAT507 half size, 8 channel electronic control, fan, auto water fill

MODEL DESCRIPTION LIST PRICE

CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory

settings, programming options, timer delay, hold channel, 7 cu. ft. (.21 cu. M), 4 adjustable rack supports, fan, auto water fill

Pass-thru option not available on CAT Series. Please see CA85 Series on page 39 for that option. See page 37 for Thermalizer Oven options, accessories and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube		
		US/CANADA									
4 SP 8 STP	8 STP H5= 38.2" (970)	208	60	1	36.8	7655	6-50P	260 (118)	C3=30.1 (0.85) C5=32.2 (0.91)		
4 GP 2/1		208	60	3	23.7	7655	15-30P				
		240	60	1	31.9	7655	6-50P				
	D= 34.5" (876)		INTERNATIONAL								
DT= 37.6" (955)	DT= 37.6" (955)	230	50/60	1	33.3	7655	N/A	260 (118)	call factory		

SP=Sheet pan $(18"x26"x1.25") \cdot STP=Steam$ table pan $(12"x20"x2.5") \cdot GP=Gastronorm$ pan $\cdot H3=Height$ w/3" casters $\cdot H5=Height$ w/5" casters $\cdot H5=Height$ w/transport base or bumper guard $\cdot VT=VT$ base or bumper guard $\cdot VT$ base or bumper guard $\cdot VT=VT$ base or bumper guard $\cdot VT$

Thermalizer Oven CAT509 half size, 8 channel electronic control, fan, auto water fill

MODEL DESCRIPTION LIST PRICE

CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory settings, programming options, timer delay, hold channel, 9 cu. ft.

(.27 cu. M), 5 adjustable rack supports, fan, auto water fill

Pass-thru option not available on CAT Series. Please see CA85 Series on page 39 for that option. See page 37 for Thermalizer Oven options, accessories, and supplies.



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
			US / CANADA									
5 SP 10 STP	H3= 41.1" (1046) H5= 43.2" (1097) HT= 43.8" (1113) W= 27.6" (701) WT= 29.5" (749)	208	60	1	36.8	7655	6-50P					
5 GP 2/1 10 GP 1/1		208	60	3	23.7	7655	15-30P	260 (118)	C3=30.1 (0.85) C5=32.2 (0.91)			
10 GF 1/1		60	1	31.9	7655	6-50P						
	D= 34.5" (876)					INT	ERNATIONAL					
	DT= 37.6" (955)	230	50/60	1	33.3	7655	N/A	260 (118)	call factory			

SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan H3=Height w/3" casters • H5=Height w/5" casters • HT=Height w/transport or bumper guard WT=Width w/transport or bumper guard • DT=Depth w/transport or bumper guard



CAT509





Thermalizer Oven CAT522

full size, 8 channel electronic control, fan, auto water fill

MODEL	DESCRIPTION	LIST PRICE
CAT522	CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory settings, programming options, timer delay, hold channel, 22 cu. ft. (.66 cu. M), 14 adjustable rack supports, fan, auto water fill	\$17,781.00
CAT522-HR-5	CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory settings, programming options, timer delay, hold channel, 22 cu. ft. (.66 cu. M), 14 adjustable rack supports, fan, auto water fill, hinge right, 5" (127mm) casters	17,781.00

Pass-thru option is not available on CAT Series. Please see CA85 Series on page 39 for that option. See page 37 for Thermalizer Oven options, accessories and supplies, and dolly descriptions.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube			
			US / CANADA									
14 SP 28 STP		208	60	3	33.7	11215	15-50P					
		240	60	3	29.2	11215	15-50P	410 (186)	60.0 (1.7)			
		480*	60	3	17.3	11215	Hard Wire					
						INT	ERNATIONAL					
					CAL	L FACTOR	l Y FOR INFORM <i>)</i>	ATION.				

 $SP = Sheet \ pan \ (18"x26"x1.25") \cdot STP = Steam \ table \ pan \ (12"x20"x2.5") \\ HT = Height \ w/transport \ or \ bumper \ guard \cdot WT = Width \ w/transport \ or \ bumper \ guard \cdot DT = Depth \ w/transport \ or \ bumper \ guard \cdot DT = Steam \ table \ pan \ (12"x20"x2.5") \\ HT = Height \ w/transport \ or \ bumper \ guard \cdot DT = Depth \ w/transport \ or \ bumper \ or \ bumper \ guard \cdot DT = Depth \ w/transport \ or \ bumper \$



Thermalizer Oven CAT529

full size, 8 channel electronic control, fan, auto water fill

MODEL	DESCRIPTION	LIST PRICE
CAT529	CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory settings, programming options, timer delay, hold channel, 29 cu. ft. (.84 cu. M), 14 adjustable rack supports, fan, auto water fill	\$20,848.00

Pass-thru option is not available on CAT series. Please see CA85 Series on page 40 for that option. See page 37 for Thermalizer Oven options, accessories, and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						U	S / CANADA		
14 AW MB 28 AN MB* 12 AND MB	H= 76.1" (1933) W= 35.5" (902) D= 34.5" (876)	208	60	3	33.7	11215	15-50P		
28 STP 14 SP	D= 34.5 (070)	240	60	3	29.2	11215	15-50P	450 (204)	70.4 (2.0)
		480*	60	3	17.3	11215	Hard Wire		
						INT	ERNATIONAL		
					CAL	L FACTOR	Y FOR INFORM <i>i</i>	ATION.	

AW=Wide meal basket (13.38" x 25.88" x 2.63") • AN=Narrow meal basket (13.38" x 20.75" x 2.63") *Must be placed on sheet pan AND=Narrow and deep meal basket (13.38" x 20.75" x 4.5") • MB=Meal basket • STP=Steam table pan • SP=Sheet pan




Thermalizer Oven CAT507/ CAT507 Stacked Pair

8 channel electronic control, fan, auto water fill

MODEL DESCRIPTION LIST PRICE

CAT507/ CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory settings, programming options, timer delay, hold channel, 7/7 cu. ft (.21/.21 cu. M), 8 adjustable rack supports, fan, auto water fill

See page 37 for Thermalizer Oven options, accessories, and supplies.



SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan • H3=Height w/3" casters • H5=Height w/5" casters HT=Height w/transport or bumper guard • WT=Width w/ transport or bumper guard • DT=Depth w/transport or bumper guard

Thermalizer Oven CAT507/CAT509

stacked pair, 8 channel electronic control, fan, auto water fill

MODEL	DESCRIPTION	LIST PRICE
CAT507/ CAT509-Stk	CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory settings, programming options, timer delay, hold channel, 7/9 cu. ft (.21/27 cu. M), 9 adjustable rack supports, fan, auto water fill	\$20,489.00
	See page 37 for Thermalizer Oven options, accessories, and supplies.	



capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. Ib (kg)	ship cube
						US	/ CANADA		
TOTAL for	H3= 76.5" (1943)								
BOTH UNITS 9 SP 18 STP 9 GP 2/1	HT= 79.3" (2014) H5= 78.5" (1994) WT= 29.5" (749) W= 27.6" (701) D= 34.5" (876)		See mode	el page	CAT50 Units w	07 - page : vill be shipp	limensional da 33 • CAT509 pa oed in separate nbled at installa	cartons	units.
	DT= 37.6" (955)								

SP=Sheet pan (18"x26"x1.25") • STP=Steam table pan (12"x20"x2.5") • GP=Gastronorm pan • H3=Height w/3" casters • H5=Height w/5" casters HT=Height w/transport or bumper guard • WT=Width w/ transport or bumper guard • DT=Depth w/transport or bumper guard







Thermalizer Oven CAT507/ Holding Cabinet HA4507

stacked pair, 8 channel electronic control, fan, auto water fill / electronic differential control, fan

MODEL	DESCRIPTION	LIST PRICE
CAT507/ HA4507-Stk	CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory settings, programming options, timer delay, hold channel, 7 cu. ft. (.21 cu. M), 4 adjustable rack supports, fan, auto water fill / CVap Holding Cabinet, A-Series differential control, fan, 7 cu. ft. (.21 cu. M), 4 adjustable rack supports	\$17,083.00

See page 37 for Thermalizer Oven options, accessories, and supplies. See page 20 for Holding Cabinet options, accessories, and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
TOTAL for	H3= 71.1" (1806)								
BOTH UNITS 9 SP 18 STP 9 GP 2/1	H5= 73.5" (1867) W= 27.6" (701) D= 34.5" (876)		See mode	el page	CAT50 Units w	7 - page 3 ill be shipp	dimensional da 34 • HA4507 - p oed in separate nbled at installa	cartons	l units.

 $SP=Sheet\ pan\ (18"x26"x1.25") \bullet STP=Steam\ table\ pan\ (12"x20"x2.5") \bullet GP=Gastronorm\ pan\ \bullet\ H3=Height\ w/3"\ casters\ \bullet\ H5=Height\ w/5"\ casters\ w/5"\ casters\ \bullet\ H5=Height\ w/5"\ casters\ w/5"\ casters\$



Thermalizer Oven CAT509 / Holding Cabinet HA4507

stacked pair, 8 channel electronic control, fan, auto water fill / electronic differential control, fan

MODEL	DESCRIPTION	LIST PRICE
CAT509/ HA4507-Stk	CVap Thermalizer Oven, 8 channel electronic control: preprogrammed factory settings, programming options, timer delay, hold channel, 9 cu. ft (.27 cu. M), 5 adjustable rack supports, fan, auto water fill / CVap Holding Cabinet, A-series differential control, fan, 7 cu. ft. (.21 cu. M), 4 adjustable rack supports	\$18,437.00

See page 37 for Thermalizer Oven options, accessories, and supplies. See page 20 for Holding Cabinet options, accessories, and supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
						US	/ CANADA		
TOTAL for	H3= 76.5" (1943)								
BOTH UNITS 9 SP 18 STP 9 GP 2/1	H5= 78.5" (1994) W= 27.6" (701) D= 34.5" (876)		See mode	el page	CAT50 Units w	9 - page 3 ill be shipp	limensional da 4 • HA4507 - p ped in separate abled at installa	cartons	units.
									1

 $SP=Sheet\ pan\ (18"x26"x1.25") \bullet STP=Steam\ table\ pan\ (12"x20"x2.5") \bullet GP=Gastronorm\ pan\ \bullet\ H3=Height\ w/3"\ casters\ \bullet\ H5=Height\ w/5"\ casters\ w/5"\ c$



CAT Thermalizer Oven Options, Accessories & Supplies

Options	Description	List Price
Hinging	Left or right hand hinge	\$0.00
Casters/Legs	3" (76mm) or 5" (127mm) casters (2 locking) or 6" (152mm) legs (CAT507, CAT509, CAT522, CAT529 only)	0.00
Window (07, 09 only)	Window in door (half size or under counter equipment)	240.00
Cord Wrap	Allows cord to be wrapped at rear of cabinet	91.00
Transport	Bumper guard base, cord wrap, evaporator cover, push/pull handles (507, 509, 522 models)	1,179.00
Bumper Guard Base	Full perimeter bumpers with 5" (127mm) casters (2 locking, 2 non-locking) (507, 509, 522 models)	711.00
Locking Handle	Provides locking handle with key for one door (price is per door)	32.00
Accessories & Supplies	Description	List Price
PS2429	External water filter for auto water fill	\$649.00
PS2078	Stack kit w/air space, heavy duty (07, 09 models)	630.00
PS2090	27 ¾" (705mm) leg & shelf kit (07 models)	1,892.00
PS2124	27 ¾" (705 mm) Leg & shelf kit (09 models)	1,717.00
PS2206-1	Chrome wire rack/tray	111.00
PS2206-4	Chrome wire rack/tray (4 pack)	348.00
PS2206-6	Chrome wire rack/tray (6 pack)	462.00
PS2206-14	Chrome wire rack/tray (14 pack)	1,042.00
PS2980-1	Additional rack support, wire, stainless steel (07, 09, 22 models only) (2 required)	111.00
PS2980-28	Additional rack supports, wire, stainless steel (07, 09, 22 models only) (28 pack)	615.00
PS3145	Smoker box attachment that converts oven into a smoker	685.00
Extended Warranty	Description	Net Price
Extended Warranty*	Full parts and labor warranty coverage for an additional year (thermalizer cabinet)	\$382.00

^{*} See page 5 for extended warranty purchase information.



HIGH EFFICIENCY THERMALIZER OVENS





High Efficiency Thermalizer Oven CA8509

half size, 8 channel preprogrammed and programmable control for high volume cook and retherm, fan, auto water fill

MODEL	DESCRIPTION	LIST PRICE
CA8509	CVap Thermalizer Oven, 8 channel control, Silver Edition, 9 cu. ft.(.27 cu. M), fan,	\$12,703.00
	5 adjustable rack supports, auto water fill	

See page 39 for CA85 Thermalizer Oven options, accessories & supplies.

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
			US / CANADA						
10 STP	H3= 41.2" (1046) H5= 43.2" (1097) HT= 43.7" (1110)	208	60	1	27.9	5805	6-30P	260 (118)	C3=30.1 (0.85)
10 GP 1/1	W= 27.6" (701) WT= 29.5" (749)	240	60	1	24.2	5805	6-30P	200 (110)	C5=32.2 (0.91)
	D= 34.5" (876)	INTERNATIONAL							
	DT= 37.6" (955) DP= 36.4" (925)	230	50	1	25.3	5805	6-20P	260 (118)	call factory

SP=Sheet pan (18" x 26" x 1.25") • STP=Steam table pan (12" x 20" x 2.5") • GP=Gastronorm pan • H3=Height w/3" casters H5=Height w/5" casters • HT=Height w/transport base or bumper guard • WT=Width w/transport base or bumper guard • DT=Depth w/transport base or bumper guards • DP=Depth w/pass-thru



High Efficiency Thermalizer Oven CA8522

full size, 8 channel preprogrammed and programmable control for high volume cook and retherm, fan, auto water fill

MODEL	DESCRIPTION	LIST PRICE
CA8522	CVap Thermalizer Oven, 8 channel control, 22 cu. ft. (.66 cu. M), fan, 14 adjustable universal rack supports, auto water fill	\$18,015.00
	See page 39 for CA85 Thermalizer Oven options, accessories & supplies.	

capacity	size in (mm)	volts	hertz	ph	amps	watts	nema	ship wt. lb (kg)	ship cube
		US / CANADA							
28 STP	H3= 73.1" (1857) H5= 74.9" (1902) HT= 75.7" (1923)	208	60	1	37.1	7716	6-50P	410 (186)	60.0 (1.7)
28 GP 1/1	W= 27.6" (701) WT= 29.5" (749)	208	60	3	23.7	7716	15-30P	410 (180)	00.0 (1.7)
	D= 34.5" (876)	INTERNATIONAL							
	DT= 37.6" (955) DP= 36.4" (925)	240	60	1	32.2	7716	6-50P	410 (186)	call factory

SP=Sheet pan (18" x 26" x 1.25") • STP=Steam table pan (12" x 20" x 2.5") • GP=Gastronorm pan • H3=Height w/3" casters H5=Height w/5" casters • HT=Height w/transport base or bumper guard • WT=Width w/transport base or bumper guard • DT=Depth w/transport base or bumper guards • DP=Depth w/pass-thru



CA85 Thermalizer Oven Options, Accessories & Supplies

Options	Description	List Price
Hinging	Left or right hand hinge	\$0.00
Casters/Legs	3" (76mm) casters (2 locking), 5" (127mm) casters or 6" (152mm) legs	0.00
Window (09 only)	Window in door (half size or under counter equipment)	240.00
Windows (22 only)	Windows in doors	381.00
Pass-Thru (22)	Second set of doors on back of cabinet	1,072.00
Pass-Thru Windows (22 only)	Second doors on back of cabinet, windows in doors	1,833.00
Pass-Thru (09)	Second door on back of cabinet	536.00
Pass-Thru/Window (09 only)	Second door on back of cabinet, window in doors (half size equipment)	1,015.00
Transport	Bumper guard base, cord wrap, evaporator cover, push/pull handles	1,179.00
Bumper Guard Base	Full perimeter bumpers with 5" (127mm) casters (2 locking), 90° elbow, ball valve	711.00
Cord Wrap	Allows cord to be wrapped at rear of cabinet	91.00
Locking Handle	Provides locking handle with key for one door (price is per door)	32.00
Accessories & Supplies	Description	List Price
PS2429	External water filter for auto water fill cabinets	\$649.00
PS2124	Leg & shelf kit, 23 ¾" (635mm) (09 models)	1,717.00
PS2206-1	Chrome wire rack/tray	111.00
PS2206-4	Chrome wire rack/tray (4 pack)	348.00
PS2206-6	Chrome wire rack/tray (6 pack)	462.00
PS2206-14	Chrome wire rack/tray (14 pack)	1,042.00
PS3145	Smoker box attachment that converts oven into a smoker	685.00
Extended Warranty	Description	Net Price
Extended Warranty*	Full parts and labor warranty coverage for an additional year (thermalizer cabinet)	\$382.00

^{*}See page 5 for extended warranty purchase information.



40 | ABOUT WINSTON INDUSTRIES



"We are a family business. We believe in the entrepreneurial spirit, strong drive, and initiatives of individuals. The company was founded on the idea of an individual and flourished through the energy and sacrifice of family members and countless other individuals. Our commitment to those individuals is indistinguishable from that of our own family members. Together, we shall share the work, sacrifices, challenges, and triumphs of the business."

Winstn Shettn Founder/Chairman

WHO WE ARE

A lot of companies will tell you they "think outside the box."

But that's not us – we never actually fit in the box to begin with. We've always enjoyed the position of being just a little different in our approach. Some have even called us a cult. We don't mind. In fact, we're sort of proud of it.

ZAP WARRANTY AGREEMENT

Limited one year warranty (excluding gaskets, lamps, hoses, power cords, glass panels, fryer baskets, batteries, and evaporators). Warranty disclaimer for failure to clean.

WINSTON EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND ANY IMPLIED WARRANTY OF MERCHANTABILITY.

Ask us for a complete warranty disclosure or go to:

www.winstonind.com/documents/4272V089 zap warranty agreement.pdf
Terms and Conditions of Sale for Winston Industries' products are available here:
www.winstonind.com/documents/4272X833 terms and conditions of sale.pdf
Both the Warranty and Terms and Conditions of Sale are integral to this document.

Buy Winston Parts Online!

Parts and accessories for our products are available to purchase through our online, secure site – it's your one-stop shop for genuine Winston replacement parts. These parts are designed specifically for our products and can help you save on costly repairs while maintaining valuable warranty coverage. Parts ordered online receive a 25% discount off list price.

http://www.winstonparts.com/



| IMPORTANT INFORMATION

Amps	Volts	NEMA Plug	G	■ G
Total amp draw up to 15.0 U.S. or 12.0 Canada, single phase	120V	5-15P	(WI I)	
or 12.0 Cariada, sirigie priase	208V	6-15P	5-15P	6-15P
	240V	6-15P	■ G	G
Total amp draw 15.1 to 16.0 U.S. or 12.1 to 16.0 Canada, single phase	120V	5-20P		
12.1 to 10.0 canada, single phase	208V	6-20P		
	240V	6-20P	5-20P	6-20P
Total amp draw 16.1 to 24.0 U.S./Canada, single phase	120V	5-30P	G G	■ G
o.s., canada, single phase	208V	6-30P		
	240V	6-30P	5-30P	6-30P
Total amp draw 24.1 to 40.0 U.S./Canada, single phase	120V	5-50P	■ G	■ G
olon canada, om gre pridoc	208V	6-50P	(w)	
	240V	6-50P	5-50P	6-50P
Total amp draw 16.2 to 24.0 U.S./Canada, 3-Ph.	208V	15-30P	5-50P	0-30P
	240V	15-30P	G	□ G
Total amp draw 24.1 to 40.0 U.S./Canada, 3-Ph.	208V	15-50P	X	X
	240V	15-50P	15-30P	15-50P

Note: Plug size is not generally specified for international sales. Fryers are not supplied with cordsets or plugs.

UL Testing Method - Electrical: Much of the equipment listed in this price list was tested in accordance with UL 197, Eighth Edition, Sec. 41, Par. 41.2, Page 57, issued June 1, 1993. The power input was measured with the equipment at intended operating temperature under full load conditions while connected to a supply at the rated voltage, hertz, and phase. The input average current to the equipment did not exceed the allowable amperage for the circuit listed. Also, the maximum power input did not exceed 105% of the marked rating.

Several of our HA cabinets draw approximately 19 amps, but are rated for a 20 amp circuit. This is acceptable on our cabinets. When UL tested the equipment they used an Input Average test, which allows the units to be equipped with a 5-20P NEMA plug and, therefore, be run on a 20 amp circuit.

UL Sanitation Standard (in lieu of NSF): Winston Industries utilizes Underwriters Laboratories, Inc. to certify our equipment to NSF standards. UL has been certifying foodservice equipment to ANSI/NSF standards for over 20 years. Currently, UL is accredited by ANSI to evaluate products to ANSI/NSF 2-8, 12, 18, 20, 26, 37, 59, and C-2.

International Voltages: Winston can provide equipment that meets the voltage requirements of many nations. Please contact us to find out availability of your voltage requirements.



8-Channel Programmable 8000 Series Process Control - Used on Fryers.



Electronic Differential Control - A-Series Used in Holding Cabinets.




Electronic Differential Control - B-Series Used in HBB Hold & Serve Drawers, and Holding Cabinets.



8 Timer Electronic Control - Used in HBK and HBL Series Hold & Serve Drawers.



Programmable 8-Channel Differential Control - Used on Universal Holding Bin (UHB) Cabinets.



Single Channel Electronic Programmable Control - Used in Silver edition Cook & Hold Ovens.



Multi-Channel Electronic Programmable Control - Used in Gold edition Cook & Hold Ovens.



Multi-Channel Electronic Programmable Control - Used in Thermalizers.

Copyright© 2017 Winston Industries, LLC.

All rights reserved. CVap and Collectramatic are registered trademarks of Winston Industries, LLC.

The CVap and Collectramatic logos are registered trademarks of Winston Industries, LLC.

All other company and product names may be trademarks of their respective companies.







WINSTON FOODSERVICE | 2345 CARTON DRIVE | LOUISVILLE, KY 40299 +1.800.234.5286 | +1.502.495.5400 | WINSTONFOODSERVICE.COM